



UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

SERIAL NUMBER FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. 33445 ы 08/154,733 11/19/93 CHIOU **EXAMINER** e tailore - respectivement of being \$ 1993 HANNAHER B5M1/0629 PAPER NUMBER ART UNIT HOFFMANNE& BARON contains of 1 decreases to 17 350 JERICHO TURNPIKE DUJERICHO, NY 11.1759 ton. 2506 This application currently names joint inventors. In constanting patentability 8/29/95 This is a communication from the examiner in charge of your application; these that the subject matter of the very COMMISSIONER OF PATENTS AND TRADEMARKS time and in remaining to gred therein were made absent any evidence to the contrary. Applicate that sed of the spligation under 3° C.F.R. § 1.50 Compline cut the inventor and inventors date of each the other was not commonly owned This application has been examined. Responsive to communication filed on5/1.9/1.9.9 This action is made final. _ days from the date of this letter. Part | THE FOLLOWING ATTACHMENT(S) ARE PART OF THIS ACTION: unparentable over Yer (US 4,521,688) and Westrom et al. (US 5,286,975). Notice of References Cited by Examiner, PTO-892. 2. Notice of Draftsman's Patent Drawing Review, PTO-948. 3. Notice of Art Cited by Applicant, PTO-14449: James 1. Yim Cisc 1.42. Notice of Informal Patent Application, PTO-152. 6. 5. Information on How to Effect Drawing Changes, PTO-1474. The shirt ABC region in infocusable gamma rays. The shirt of the comprises a had. Part II SUMMARY OF ACTION 1 Claims 14-17, 19-22 and 31-34-24, an array of chaste has a lices 36 are pending in the application. column Of the above, claims new in are withdrawn from consideration. 2/ Claims 2, 3, 18 and 23-30 3. Claims view of the source said and any to present dive image of the radiation 4√ Claims_{1, 4-17, 19-22 and 31-34} 5. Claims source on the visual representation. See Westrom et al. accolumn 7, lines 33-42, are objected to. 6 D Claims 1 th. Approved ability of an aperator of the imaging are subject to restriction or election requirement. 7: This application has been filed with informal drawings under 37 C.F.R. 1.85 which are acceptable for examination purposes. 8. Formal drawings are required in response to this Office action. aild have not a physous to one of ordinary skill in the art to provide such a 9. The corrected or substitute drawings have been received on _ . Under 37 C.F.R. 1.84 these drawings are Cacceptable; Cnot acceptable (see explanation or Notice of Draftsman's Patent Drawing Review, PTO-948).
superimposn) to 1 to display 32 of the gamma of the acceptable, system of You 10. The proposed additional or substitute sheet(s) of drawings, filed on ... has (have) been approved by the examiner; disapproved by the examiner (see explanation). 11. The proposed drawing correction, filed _ __, has been approved; disapproved (see explanation). 12. Acknowledgement is made of the claim for priority under 35 U.S.C. 119. The certified copy has been received not been received been filed in parent application, serial no. ___ ; filed on _ 13. Since this application apppears to be in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11; 453 O.G. 213. 14. Other

Application Number: 08/154,733 Page: 2

Art Unit: 2506

Part III DETAILED ACTION

Claim(s)—Rejection(s)/35 U.S.C. §103

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

- 2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. § 103, the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 C.F.R. § 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of potential 35 U.S.C. § 102(f) or (g) prior art under 35 U.S.C. § 103.
- 3. Claims 1, 4-7, 14-17, 19, 20 and 21 are rejected under 35 U.S.C. § 103 as being unpatentable over Yin (US 4,521,688) and Westrom et al. (US 5,286,973).

With respect to independent claim 1, Yin discloses a gamma ray imaging system 20. The object ABC emits non-focusable gamma rays. The system 20 of Yin comprises a coded mask 22, a position sensitive detector 24, an array of charge coupled devices 36 (see column 5, line 63), a signal processor 40 and a display 52. In the art of imaging radiation emitting sources, it is known to provide a visual representation of an area in the field of view of the imaging system and superimpose a representative image of the radiation emitting source on the visual representation. See Westrom et al. at column 7, lines 33-42. In view of the improved ability of an operator of the imaging system to associate the location of the radiation emitting source with the visual aspects of the field of view, it would have been obvious to one of ordinary skill in the art to provide such a superimposition in the display 52 of the gamma ray imaging system of Yin.

With respect to dependent claim 4, the gamma ray imaging system of Yin further comprises means for transferring 34 the coded optical signal to the array 36.

With respect to dependent claim 5, the gamma ray imaging system of Yin further comprises an array of optical fiber tapers (column 5, lines 50-56).

With respect to dependent claim 6, the gamma ray imaging system of Yin further comprises relay optics (column 5, lines 50-56).

With respect to dependent claim 7, the gamma ray imaging system of Yin further comprises an image intensifier 26.

With respect to dependent claim 14, the gamma ray imaging system of Yin further comprises a scintillator material (column 5, line 17). The use of a crystal as the scintillator material would have been obvious to one of ordinary skill in the art as this is a typical choice for detecting gamma rays.

With respect to dependent claims 15 and 16, the screen 22 of the gamma ray imaging system of Yin is spaced from the position sensitive detector 24. The choices of cross-sectional area and field of view are within the ordinary skill in the art in view of the intended application and the like.

With respect to independent claim 17, Yin suggests a method of generating a representative image of non-focusable gamma ray emitting source which would comprise the steps of providing a gamma ray imaging device 20 including a coded mask 22, a position sensitive detector 24, an array of charge coupled devices 36 (see column 5, line 63), and a signal processor 40, situating the device so that a gamma ray emitting source ABC is within a field of view of the device, and displaying the image signal. In the art of imaging

Art Unit: 2506

radiation emitting sources, it is known to create a visual representation of an area in the field of view of the device and superimpose a representative image of the radiation emitting source on the visual representation. See Westrom et al. at column 7, lines 33-42. In view of the improved ability of an operator of the device to associate the location of the radiation emitting source with the visual aspects of the field of view, it would have been obvious to one of ordinary skill in the art to superimpose in the display 52 of the gamma ray representative imaging method suggested by Yin.

Page: 4

With respect to independent claim 19, Yin discloses a x ray imaging system 20. The object ABC emits non-focusable x rays. The system 20 of Yin comprises a coded mask 22, a position sensitive detector 24, an array of charge coupled devices 36 (see column 5, line 63), a signal processor 40 and a display 52. In the art of imaging radiation emitting sources, it is known to provide a visual representation of an area in the field of view of the imaging system and superimpose a representative image of the radiation emitting source on the visual representation. See Westrom et al. at column 7, lines 33-42. In view of the improved ability of an operator of the imaging system to associate the location of the radiation emitting source with the visual aspects of the field of view, it would have been obvious to one of ordinary skill in the art to provide such a superimposition in the display 52 of the x ray imaging system of Yin.

With respect to dependent claim 20, the x ray imaging system of Yin further comprises means for transferring 34 the coded optical signal to the array 36.

With respect to dependent claim 21, the x ray imaging system of Yin further comprises an array of optical fiber tapers (column 5, lines 50-56).

Art Unit: 2506

4. Claim 8 is rejected under 35 U.S.C. § 103 as being unpatentable over Yin (US 4,521,688) and Westrom et al. (US 5,286,973) as applied to claim 7 above, and further in view of Yin (US 4,791,300).

Page: 5

With respect to dependent claim 8, the image intensifier 26 of the gamma ray imaging system of Yin ('688) is disclosed broadly. The use of an image intensifier comprising a multistage image intensifier tube is well known in the art of gamma ray imaging systems, as shown by Yin ('300). In view of the improved sensitivity, it would have been obvious to one of ordinary skill in the art to have the gamma ray imaging system of Yin ('688) comprise a multistage image intensifier tube as shown by Yin ('300).

5. Claim 9 is rejected under 35 U.S.C. § 103 as being unpatentable over Yin (US 4,521,688) and Westrom et al. (US 5,286,973) as applied to claim 1 above, and further in view of Fenimore et al. (US 4,209,780).

With respect to dependent claim 9, the uniform distribution of pinholes in a predetermined pattern described by Yin for the screen 22 at column 5, lines 6-8, may be considered to constitute a uniformly redundant array. Nevertheless, those of ordinary skill in the art recognize that the use of a coded mask identified as a uniformly redundant array is known in the art of gamma ray imaging systems as shown by Fenimore et al. In view of the effective performance in imaging non-focusable gamma ray emitting objects, it would have been obvious to one of ordinary skill in the art to provide a coded mask identified as a uniformly redundant array in the gamma ray imaging system of Yin.

Art Unit: 2506

6. Claims 10, 11, 22, 31 and 32 are rejected under 35 U.S.C. § 103 as being unpatentable over Yin (US 4,521,688) and Westrom et al. (US 5,286,973) as applied to claims 1 and 19 above, and further in view of Miller (US 5,235,191).

Page: 6

With respect to dependent claim 10, the position sensitive detector 24 of the gamma ray imaging system of Yin may comprise a scintillator material or phosphor. The use of a glass scintillator material is known, as described by Miller. In view of the effective performance in generating an optical signal in response to radiation impinging thereon, it would have been obvious to one of ordinary skill in the art to use a glass scintillator for the material of position sensitive detector 24 of the gamma ray imaging system of Yin.

With respect to dependent claim 11, Miller further discloses the use of a plurality of glass fibers. In view of the improved resolution afforded by the use of the fiber structure, it would have been obvious to one of ordinary skill in the art to include a plurality of glass fibers as the position sensitive detector 24 of the gamma ray imaging system of Yin.

With respect to dependent claim 22, the position sensitive detector 24 of the x ray imaging system of Yin may comprise a scintillator material or phosphor. The use of a glass scintillator material is known, as described by Miller. In view of the effective performance in generating an optical signal in response to radiation impinging thereon, it would have been obvious to one of ordinary skill in the art to use a glass scintillator for the material of position sensitive detector 24 of the x ray imaging system of Yin.

With respect to dependent claim 31, the thermoelectric cooling of an array of charge coupled devices in a radiation imaging system is known as shown by Miller. In view of the

Art Unit: 2506

improved operation, it would have been obvious to one of ordinary skill in the art to include a thermoelectric cooler for the array 36 in the gamma ray imaging system of Yin.

Page: 7

With respect to dependent claim 32, the thermoelectric cooling of an array of charge coupled devices in a radiation imaging system is known as shown by Miller. In view of the improved operation, it would have been obvious to one of ordinary skill in the art to include a thermoelectric cooler for the array 36 in the x ray imaging system of Yin.

7. Claim 12 is rejected under 35 U.S.C. § 103 as being unpatentable over Yin (US 4,521,688), Westrom et al. (US 5,286,973) and Miller (US 5,235,191) as applied to claim 11 above, and further in view of Walker (US 5,308,986).

With respect to dependent claim 12, the use of an external mural absorber coating in the construction of a fiber scintillator is known, as shown by Walker, column 7, lines 17-35. In view of the improved resolution, it would have been obvious to one of ordinary skill in the art to provide that the plurality of glass fibers suggested by Miller include an external mural absorber coating in the gamma ray imaging system of Yin.

8. Claim 13 is rejected under 35 U.S.C. § 103 as being unpatentable over Yin (US 4,521,688) and Westrom et al. (US 5,286,973) as applied to claim 1 above, and further in view of Walker (US 5,308,986).

With respect to dependent claim 13, the position sensitive detector 24 of the gamma ray imaging system of Yin may comprise a scintillator material or phosphor. The use of a plastic fiber scintillator material is known, as described by Walker. In view of the effective performance in generating an optical signal in response to radiation impinging thereon, it

Art Unit: 2506

Page: 8

would have been obvious to one of ordinary skill in the art to use a plastic fiber scintillator for the material of position sensitive detector 24 of the gamma ray imaging system of Yin.

9. Claim 33 is rejected under 35 U.S.C. § 103 as being unpatentable over Yin (US 4,521,688), Westrom et al. (US 5,286,973), Fenimore et al. (US 4,209,780), Miller (US 5,235,191) and Yin (US 4,791,300). The claimed features are found in the references as analyzed below. It would have been obvious to one of ordinary skill in the art to modify the references to include the recited features in view of the improved performance.

A gamma ray imaging system for providing an image of a gamma ray emitting source, which comprises:

a coded mask including a uniformly redundant array, the coded mask receiving non-focusable gamma rays emitted by at least one source, the coded mask generating a coded shadow in response to the gamma rays received thereby;

a glass fiber scintillator situated with respect to the coded mask to allow the coded shadow generated by the mask to impinge thereon, the scintillator generating a coded optical signal in response to the coded shadow impinging thereon;

an optical fiber taper having a first end coupled to the scintillator, the optical fiber taper transferring the coded optical signal to an image intensifier;

a multistage image intensifier tube, having an input coupled to a second end of the optical fiber taper, the image intensifier amplifying and intensifying the coded optical signal received from the Yin discloses a gamma ray imaging system 20 providing an image of a gamma ray emitting source ABC.

Yin discloses a coded mask 22 receiving non-focusable gamma rays. Fenimore et al. discloses a coded mask identified as a uniformly redundant array.

Yin discloses a position sensitive detector 24 which may comprise a scintillator material or phosphor. Miller describes the use of a glass scintillator material and the use of a plurality of glass fibers.

Yin discloses an array of optical fiber tapers (column 5, lines 50-56).

Yin discloses an image intensifier 26. Yin ('300) discloses the use of an image intensifier comprising a multistage image intensifier tube.

Art Unit: 2506

optical fiber taper to provide increased sensitivity to the system;

an array of charge coupled devices, the array being coupled to an output of the multistage image intensifier tube and generating a coded electrical signal in response to the coded optical signal received therefrom, the array being thermoelectrically cooled to improve a signal-to-noise ratio;

a digital signal processor, the digital signal processor receiving the coded electrical signal from the array of charge coupled devices and decoding the coded electrical signal to generate an image signal therefrom, the image signal being representative of an image of the non-focusable gamma ray emitting source; and

a monitor, the monitor being responsive to the image signal for displaying a representative image of the source. Yin discloses an array of charge coupled devices 36 (see column 5, line 63). Miller discloses the thermoelectric cooling of an array of charge coupled devices.

Page: 9

Yin discloses a digital signal processor 40.

Yin discloses a display 52.

10. Claim 34 is rejected under 35 U.S.C. § 103 as being unpatentable over Yin (US 4,521,688), Fenimore et al. (US 4,209,780), Miller (US 5,235,191) and Westrom et al. (US 5,286,973).

With respect to independent claim 34, Yin suggests a method for scanning facilities having a plurality of potential radiation sources. The disclosed instrument 20 is a hand-held and portable radiation imaging device. The device 20 includes a coded mask 22, a position sensitive detector 24, and an array of charge coupled devices 36 (see column 5, line 63). The uniform distribution of pinholes in a predetermined pattern described by Yin for the

Art Unit: 2506

screen 22 at column 5, lines 6-8, may be considered to constitute a uniformly redundant array. Nevertheless, those of ordinary skill in the art recognize that the use of a coded mask identified as a uniformly redundant array is known in the art of gamma ray imaging systems as shown by Fenimore et al. In view of the effective performance in imaging non-focusable gamma ray emitting objects, it would have been obvious to one of ordinary skill in the art to provide a coded mask identified as a uniformly redundant array in the radiation imaging device 20 of Yin. The position sensitive detector 24 of the radiation imaging device of Yin may comprise a scintillator material or phosphor. The use of a glass scintillator material is known, as described by Miller. In view of the effective performance in generating an optical signal in response to radiation impinging thereon, it would have been obvious to one of ordinary skill in the art to use a glass scintillator for the material of position sensitive detector 24 of the radiation imaging device of Yin. Miller further discloses the use of a plurality of glass fibers. In view of the improved resolution afforded by the use of the fiber structure, it would have been obvious to one of ordinary skill in the art to include a plurality of glass fibers as the position sensitive detector 24 of the radiation imaging device of Yin. Yin further suggests the steps of transmitting the coded electrical signal 38 to a remote location (digital processor 40) processing the coded electrical signal to generate an image signal and displaying the image signal. In the art of imaging radiation emitting sources, it is known to create a visual representation of an area in the field of view of the device and superimpose a representative image of the radiation emitting source on the visual representation. See Westrom et al. at column 7, lines 33-42. In view of the improved ability of an operator of the device to associate the location of the radiation

Page: 10

Art Unit: 2506

emitting source with the visual aspects of the field of view, it would have been obvious to one of ordinary skill in the art to superimpose in the display 52 of the gamma ray representative imaging method suggested by Yin. The transmission of electrical signals in a method of radiation imaging to a remote location is also shown by Westrom *et al.*

Response to Submission(s)

11. Applicant's arguments with respect to claims 1, 4-17, 19-22 and 31-34 have been considered but are deemed to be moot in view of the new grounds of rejection.

Conclusion

- 12. Papers related to Group 2500 applications only may be submitted to Group 2500 by facsimile transmission. Any transmission not to be considered an official response must be clearly marked "DRAFT". The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 34-35 (November 15, 1988). The Group 2500 Fax Center number is (703) 305-3594 or 308-1753.
- 13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Hannaher whose telephone number is (703) 308-4850.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group 2500 receptionist whose telephone number is (703) 308-0956.

ch-6/26/1995

CONSTANTINE HANNAHER
PRIMARY EXAMINER
GROUP ART UNIT 2506

Page: 11